


Please Refer to the slides for week-8-Shell scripting and write shell scripts to complete the following tasks. Submit the screenshot for the script and its output, both.

NOTE: Please replace the name of the script with the name you used for the script. In the sample screenshot, I have used those names to create my script.

Step-1: Use vi or nano editor to write your script (Ex, nano YourScriptName.sh) for the following tasks.

Step-2: After saving the script, save and exit out of the editor and make the script executable by adding execute permission (`chmod +x YourScriptName.sh`)

Step-3: Run your script using `./YourScriptName.sh`

A screenshot of a terminal window with a dark background. It shows three lines of commands being entered at a prompt: 'nano dada.sh', 'chmod +x dada.sh', and './dada.sh'. The prompt is 'berline@berline-VirtualBox:~\$'.

Task A (Correct script (25 points) + result/output after executing the script (25 points)- Conditional Statement

Write a shell script using nano or vi editor (eg, nano scriptname.sh) like below, that performs the following task:

1. Add the Shebang (`#!/bin/bash`) as the first line in your script.
2. Read a number using `read` function
3. Using `if` statement, check if the input number is less than 10, then print the message "Input number is greater than 10."
4. If the number is not greater than 10, then print the message, "Input number is not greater than 10."

(Your script should result into the output similar to this sample screenshot after executing as shown below)

```
GNU nano 6.2                                     dada.sh
#!/bin/bash

echo "Enter the number to check."
read num

if [ $num -gt 10 ]
then
    echo "Input number is greater than 10."
else
    echo "Input number is not greater than 10"
fi

berline@berline-VirtualBox:~$ nano dada.sh
berline@berline-VirtualBox:~$ chmod +x dada.sh
berline@berline-VirtualBox:~$ ./dada.sh
Enter the number to check.
9
Input number is not greater than 10
berline@berline-VirtualBox:~$ ./dada.sh
Enter the number to check.
11
Input number is greater than 10.
berline@berline-VirtualBox:~$
```

Task B (Correct script (25 points) + result/output after executing the script (25 points) - Shell Script to Create a new file

Write a shell script using nano or vi editor (eg, nano scriptname.sh) like below, that performs the following task:

1. Add the Shebang (#!/bin/bash) as the first line in your script.
2. Reads the name of the file to check for a filename that exists.
3. Check whether the given input is a directory or regular file.
4. If the input is a directory and exists, then display the message "Directory exists".
5. If the input is a regular file, then display the message "It is a regular file, and the file exists" and display the contents of the file.
6. If the given input name in step-1 doesn't exist, then create the new file with the given

```
#!/bin/bash

echo "Enter a filename to check:"
read filename

if [ -d "$filename" ]
then
    echo "Directory exists"
elif [ -f "$filename" ]
then
    echo "It is a regular file, and the file exist"
    echo "The content of the file are:"
    cat "$filename"
else
    touch "$filename"
    echo "File $filename created"
fi
```

```
berline@berline-VirtualBox:~$ nano berl.sh
berline@berline-VirtualBox:~$ chmod +x berl.sh
berline@berline-VirtualBox:~$ ./berl.sh
Enter a filename to check:
data
Directory exists
berline@berline-VirtualBox:~$ ./berl.sh
Enter a filename to check:
lab-8.txt
It is a regular file, and the file exist
The content of the file are:
Berline's file
berline@berline-VirtualBox:~$ ./berl.sh
Enter a filename to check:
file23
File file23 created
```

name in step-1.

(Extra credit: 10 points) Add your name to the file (using redirection operator '>') and display the contents for the newly created file.

7. Save and exit the editor and remember to make the script executable using the command `chmod +x scriptname.sh`)

(Your script should result into the output similar to this sample screenshot after executing as shown below)

Extra Credit(15 points)- Check Directory

Write a script like below that

1. Reads Two variables- your name and the name of the directory as input.

```
GNU nano 6.2 lab-exta.sh
#!/bin/bash

echo "Enter your name:"
read name
echo "Enter the name of the directory you want to check:"
read dir

if [ -d "$dir" ]
then
    echo "Directory $dir exists"
    echo "Below are the contents file in the directory with name $dir:"
    ls -l "$dir"
else
    echo "Sorry $name, the entered directory name is not a valid directory"
fi
```

2. Your script should check for the validity of the given directory name, if the entered filename is a directory, then display its contents
3. If the directory doesn't exist, then print an error message "Sorry, the entered directory name is not a valid directory name."
4. You need to execute your script and test the following directories to test with your script

- /etc/system

```
berline@berline-VirtualBox:~$ nano lab-exta.sh
berline@berline-VirtualBox:~$ chmod +x lab-exta.sh
berline@berline-VirtualBox:~$ ./lab-exta.sh
Enter your name:
Berline
Enter the name of the directory you want to check:
/etc/systemd
Directory /etc/systemd exists
Below are the contents file in the directory with name /etc/systemd:
total 52
-rw-r--r-- 1 root root 1282 Apr  7 2022 journald.conf
-rw-r--r-- 1 root root 1374 Apr  7 2022 logind.conf
drwxr-xr-x 2 root root 4096 Apr  7 2022 network
-rw-r--r-- 1 root root 846 Mar 11 2022 networkd.conf
-rw-r--r-- 1 root root 804 Mar 11 2022 oomd.conf
-rw-r--r-- 1 root root 670 Mar 11 2022 pstore.conf
-rw-r--r-- 1 root root 1406 Apr  7 2022 resolved.conf
-rw-r--r-- 1 root root 931 Mar 11 2022 sleep.conf
drwxr-xr-x 20 root root 4096 Mar  6 18:44 system
-rw-r--r-- 1 root root 1993 Apr  7 2022 system.conf
-rw-r--r-- 1 root root 748 Apr  7 2022 timesyncd.conf
drwxr-xr-x 7 root root 4096 Jan 11 16:20 user
-rw-r--r-- 1 root root 1394 Apr  7 2022 user.conf
```

- /home

```

berline@berline-VirtualBox:~$ ./lab-extra.sh
Enter your name:
Berline
Enter the name of the directory you want to check:
/home
Directory /home exists
Below are the contents file in the directory with name /home:
total 52
drwxr-x-- 16 berline  berline  4096 Mar 26 19:50 berline
drwxr-x--  2 bnaja001 bnaja001 4096 Feb  6 17:27 bnaja001
drwxr-x--  2 bnaja001 bnaja001 4096 Feb  6 19:32 bnaja001
drwxr-x--  2 carl     carl     4096 Feb 13 14:41 carl
drwxrwx--T  2 root    bnaja001 4096 Feb 26 22:21 cyse_projet
drwxr-x--  2 Dada    Dada     4096 Feb 13 14:50 Dada
drwxr-x--  2 Emma    Emma     4096 Feb 26 21:16 Emma
drwxr-x--  2 leyla   leyla   4096 Feb 13 14:47 leyla
drwxr-x--  2 mey     mey     4096 Feb 13 14:49 mey
drwxr-x--  2 nene    nene     4096 Feb 13 14:52 nene
drwxr-x--  2 Olivia  Olivia  4096 Feb 26 22:23 Olivia
drwxr-x--  2 seby    seby     4096 Feb 13 14:54 seby
drwxr-x--  2 Sophia  Sophia  4096 Feb 26 21:16 Sophia

```

- A directory that does not exist

```

berline@berline-VirtualBox:~$ ./lab-extra.sh
Enter your name:
Berline
Enter the name of the directory you want to check:
desktop
Sorry Berline, the entered directory name is not a valid directory
berline@berline-VirtualBox:~$

```

Display the contents for the directories you have entered

(See the screenshot below where the script has been executed 3 times to check for the Three different directory names as the test input