

CYSE 301: Cybersecurity Technique and Operations

Assignment 1: Traffic Tracing and Sniffing

Christian Carrion

UIN: 01204285

Each student needs to login into the **CCIA virtual environment** to complete this assignment.

Students use tshark will receive extra points.

Task B: Sniff LAN traffic


In this task, you will be acting as an **ATTACKER** who sniffs the regular communications between peers (External Attacker Kali and Ubuntu) by using either Wireshark or tshark on **Internal Attacker Kali VM**.

I would recommend you keeping the Wireshark/tshark running on Internal Kali all the time.

* Because the current Hyper-V setting does not “broadcast” the communication between hosts in the same network, we need to [enable port mirroring](#) to allow Internal Kali to “see” other's communication. To be specific, you need to put the sniffer (Internal Kali) as the **mirroring Destination**, and the target VMs are **mirroring Source** (Figure 2). Since each VM has two network adapters, one for regular connection and the other is sharing with the CCIA server. We need to configure port mirroring on the **first** adapter. To be specific,

- Internal Kali: Set Mirroring mode to “**Destination**” in the “Port Mirroring”
- Ubuntu Kali: Set Mirroring mode to “**Source**” in the “Port Mirroring”
- External Kali: Set Mirroring mode to “**Source**” in the “Port Mirroring”

** Since each Windows 10 Host Machine has 20G memory. We need to adjust the assigned Memory for Internal Kali and External Kali from **8192** to **4096** MB to support 4 VM running simultaneously.




1. Sniff ICMP traffic (10 + 10 = 20 points)

Open two terminals on External Kali VM. Use one ping Ubuntu VM, and use the other ping Internal Kali.


a. Apply proper display or capture filter on Internal Kali VM to show active ICMP traffic.

To display Internal Kali VM and show active ICMP traffic I type `ip addr == 192.168.217.13 && ICMP` to display not only internal Kali linux but also the ICMP protocol.



b. Apply proper display or capture filter on Internal Kali VM that ONLY displays ICMP request originated from External Kali VM and goes to Ubuntu 64-bit VM.

To ONLY display ICMP request originated from External Kali VM and goes to Ubuntu 64-bit VM I typed in the display filter `ip.addr == 192.168.217.3 && icmp && ip.dst == 192.168.10.10`.



2. Sniff FTP traffic (10 + 15 + 15 = 40 pts points)


- a. **Ubuntu VM** is also serving as an FTP server inside the LAN network. Now, you need to use External Kali to access this FTP server by using the command: `ftp [ip_addr of ubuntu VM]`. The username for the FTP server is **cyse301**, and the password is **password**. You can follow the steps below to access the FTP server.

The image down below shows my attempt to access FTP using External Kali.

```


root@CS21APenTest: # ftp 192.168.10.10
Connected to 192.168.10.10.
220 (vsFTPd 3.0.3)
Name (root@CS21APenTest:root): cyse301 enter username
331 Please specify the password.
Password: enter password
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> exit Leave ftp server
221 Goodbye.
root@CS21APenTest: #

```



- b. **Unfortunately**, Internal Kali, the attacker, is also sniffing to the communication. Therefore, all of your communication is exposed to the attacker. Now, you need to find out the **password** used by External Kali to access the FTP server from the intercepted traffic on Internal Kali. You need to screenshot and explain how you find the password.

To find the password used by external Kali, I went back to Wireshark in internal Kali. After I stop the capture. Wireshark displays the attempts that external Kali was doing. As a consequence, Wireshark displays the actual password external Kali put in to access the FTP server.



- c. After you successfully find the username & password from the FTP traffic, repeat the previous step (2.a), and use your **MIDAS ID** as the username and **UIN** as the password to reaccess the FTP server from External Kali. Although External Kali may not access the FTP server, you need to intercept the packets containing these “secrets” from the attacker VM, which is **Internal Kali**.

Task C – Extra credit: Steal files with Wireshark (15 points)

Login to Ubuntu VM, and create a file in your home directory, named “YOUR_MIDAS.txt”. Put the **current timestamp** and **your name** in the file. You can use the following command in the example below to do the job.

```
cyse301@ubuntu:~$ echo -e "$(date) \nPeng Jlang"> pjiang.txt
cyse301@ubuntu:~$ ls
Desktop Downloads Music pjiang.txt Templates VMshare
Documents examples.desktop Pictures Public Videos
cyse301@ubuntu:~$ cat pjiang.txt
Thu Feb 10 20:09:10 PST 2022
Peng Jlang
```

Once you have the file ready in Ubuntu, switch back to **External Kali**. Get the file you just created with FTP protocol remotely. Below is an example.

```
root@CS2APenTest: -
File Edit View Search Terminal Help
226 Directory send OK.
ftp> get pjiang.txt
local: pjiang.txt remote: pjiang.txt
200 PORT command successful. Consider using PASV.
150 Opening BINARY mode data connection for pjiang.txt (41 bytes)
226 Transfer complete.
41 bytes received in 0.00 secs (63.4534 kB/s)
```

As an attacker, you need to complete the following tasks in Internal Kali:

1. Apply a proper display filter to display the **FTP-DATA** packets between External Kali and Ubuntu VM.
2. Follow the tcp stream of the **FTP-DATA** packet, and view the content of the file just transferred.
3. Export (Save) the transferred file as a text file in Internal Kali, and view the content. Below is the example.

