


Lashanti Gladney
01/00/24


STEP 1.

Open a terminal window.



STEP 2.


Display your current working directory.

A terminal window titled 'lashantig@kali: ~' with a menu bar (File, Actions, Edit, View, Help). The prompt is '(lashantig@kali)-[~]'. The command 'pwd' has been entered, and the output is '/home/lashantig'. The prompt '\$' is followed by a cursor. The background features a large 'KALI LINUX' watermark and a quote: '"the quieter you become, the more you are able to hear"'.

```
File Actions Edit View Help
(lashantig@kali)-[~]
$ pwd
/home/lashantig
(lashantig@kali)-[~]
$
```

STEP 3.

Using an absolute pathname, switch to the /etc directory.




STEP 4.

Using a relative pathname, move to the /etc/skel directory.



STEP 5.

Using a relative pathname, move up one directory.



STEP 6.

List the files in the current directory.

lashantig@kali: /etc

File Actions Edit View Help


(lashantig@kali)-[/etc/skel]

\$ cd ..

(lashantig@kali)-[/etc]

\$ ls

ImageMagick-6	ipp-usb	python3.11
ModemManager	ipsec.conf	radcli
NetworkManager	ipsec.d	rc0.d
ODBCDataSources	ipsec.secrets	rc1.d
OpenCL	issue	rc2.d
UPower	issue.net	rc3.d
X11	java-17-openjdk	rc4.d
adduser.conf	john	rc5.d
alsa	kali-menu	rc6.d
alternatives	kernel	rcS.d
apache2	kernel-img.conf	reader.conf.d
apparmor	keyutils	rearj.cfg
apparmor.d	kismet	redis
apt	ld.so.cache	redsocks.conf
arp-scan	ld.so.conf	request-key.conf
avahi	ld.so.conf.d	request-key.d
bash.bashrc	ldap	resolv.conf
bash_completion	legion.conf	responder
bash_completion.d	libao.conf	rmt
bindresvport.blacklist	libaudit.conf	rpc
binfmt.d	libblockdev	runit
bluetooth	libccid_Info.plist	samba
ca-certificates	libibverbs.d	sane.d
ca-certificates.conf	libnl-3	scalpel
chatscripts	libpaper.d	screenrc
cifs-utils	lightdm	sddm.conf.d
cloud	lighttpd	searchsploit_rc
console-setup	locale.alias	security
cracklib	locale.conf	selinux
credstore	locale.gen	sensors.d
credstore.encrypted	localtime	sensors3.conf
cron.d	logcheck	services
cron.daily	login.defs	sgml
cron.hourly	logrotate.conf	shadow
cron.monthly	logrotate.d	shadow-
cron.weekly	macchanger	shells
cron.yearly	machine-id	skel
crontab	magic	smartd.conf
cryptsetup-initramfs	magic.mime	smartmontools
cryptsetup-nuke-password	mailcap	smi.conf
crypttab	mailcap.order	snmp



STEP 7.

Perform a “long display” listing of the files in the current directory.