

```
PC0
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig

FastEthernet0 Connection:(default port)

    Connection-specific DNS Suffix.:
    Link-local IPv6 Address.....: FE80::201:97FF:FE36:7627
    IPv6 Address.....: ::
    IPv4 Address.....: 10.10.10.0
    Subnet Mask.....: 255.0.0.0
    Default Gateway.....: ::
                                0.0.0.0

Bluetooth Connection:

    Connection-specific DNS Suffix.:
    Link-local IPv6 Address.....: ::
    IPv6 Address.....: ::
    IPv4 Address.....: 0.0.0.0
    Subnet Mask.....: 0.0.0.0
    Default Gateway.....: ::
                                0.0.0.0

C:\>
```

```
PC1
Physical Config Desktop Programming Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig



FastEthernet0 Connection:(default port)

    Connection-specific DNS Suffix.:
    Link-local IPv6 Address.....: FE80::201:96FF:FE59:3D24
    IPv6 Address.....: ::
    IPv4 Address.....: 10.10.10.1
    Subnet Mask.....: 255.0.0.0
    Default Gateway.....: ::
                                0.0.0.0

Bluetooth Connection:

    Connection-specific DNS Suffix.:
    Link-local IPv6 Address.....: ::
    IPv6 Address.....: ::
    IPv4 Address.....: 0.0.0.0
    Subnet Mask.....: 0.0.0.0
    Default Gateway.....: ::
                                0.0.0.0

C:\>
```



PING

```
PC2
Physical Config Desktop Programming Attributes
Command Prompt
Connection-specific DNS Suffix...:
Link-local IPv6 Address...: ::
IPv6 Address...: ::
IPv4 Address...: 0.0.0.0
Subnet Mask...: 0.0.0.0
Default Gateway...: ::
0.0.0.0

C:\>ping
Cisco Packet Tracer PC Ping

Usage: ping [-n count | -v TOS | -t ] target

C:\>ping 10.10.10.1

Pinging 10.10.10.1 with 32 bytes of data:

Reply from 10.10.10.1: bytes=32 time<1ms TTL=128
Reply from 10.10.10.1: bytes=32 time<1ms TTL=128
Reply from 10.10.10.1: bytes=32 time<1ms TTL=128
Reply from 10.10.10.1: bytes=32 time<1ms TTL=128

Ping statistics for 10.10.10.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

PACKETS

